

2017 EYC



Oil Pattern Distance	41	Reverse Brush Drop	36	Oil Per Board	Multi ul
Forward Oil Total	16.74 mL	Reverse Oil Total	8.745 mL	Volume Oil Total	25.485 mL
Tank Configuration	N/A	Tank A Conditioner	FIRE	Tank B Conditioner	ICE


	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	50	18	4	Α	148	0.0	7.6	7.6	7400
2	4L	4R	1	50	18	4	Α	33	7.6	10.1	2.5	1650
3	6L	6R	1	45	18	3	Α	29	10.1	12.6	2.5	1305
4	7L	7R	2	45	18	3	Α	54	12.6	17.7	5.1	2430
5	8L	8R	2	45	18	3	Α	50	17.7	22.8	5.1	2250
6	10L	10R	1	45	18	3	Α	21	22.8	25.3	2.5	945
7	11L	11R	1	40	22	3	Α	19	25.3	28.4	3.1	760
8	2L	2R	0	45	22	3	Α	0	28.4	34.0	5.6	0
9	2L	2R	0	45	26	3	Α	0	34.0	41.0	7.0	0

START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
2L	2R	0	45	30	2	В	0	41.0	35.0	-6.0	0
2L	2R	0	45	26	3	В	0	35.0	26.0	-9.0	0
12L	10R	1	45	22	3	В	19	26.0	22.9	-3.1	855
11L	9R	2	45	18	3	В	42	22.9	17.8	-5.1	1890
10L	8R	2	50	18	3	В	46	17.8	12.7	-5.1	2300
2L	2R	2	50	14	4	В	74	12.7	8.8	-3.9	3700
2L	2R	0	45	14	4	В	0	8.8	0.0	-8.8	0
	2L 2L 12L 11L 10L 2L	2L 2R 2L 2R 12L 10R 11L 9R 10L 8R 2L 2R	2L 2R 0 2L 2R 0 12L 10R 1 11L 9R 2 10L 8R 2 2L 2R 2	2L 2R 0 45 2L 2R 0 45 12L 10R 1 45 11L 9R 2 45 10L 8R 2 50 2L 2R 2 50	2L 2R 0 45 30 2L 2R 0 45 26 12L 10R 1 45 22 11L 9R 2 45 18 10L 8R 2 50 18 2L 2R 2 50 14	2L 2R 0 45 30 2 2L 2R 0 45 26 3 12L 10R 1 45 22 3 11L 9R 2 45 18 3 10L 8R 2 50 18 3 2L 2R 2 50 14 4	2L 2R 0 45 26 3 B 12L 10R 1 45 22 3 B 11L 9R 2 45 18 3 B 10L 8R 2 50 18 3 B 2L 2R 2 50 14 4 B	2L 2R 0 45 30 2 B 0 2L 2R 0 45 26 3 B 0 12L 10R 1 45 22 3 B 19 11L 9R 2 45 18 3 B 42 10L 8R 2 50 18 3 B 46 2L 2R 2 50 14 4 B 74	2L 2R 0 45 30 2 B 0 41.0 2L 2R 0 45 26 3 B 0 35.0 12L 10R 1 45 22 3 B 19 26.0 11L 9R 2 45 18 3 B 42 22.9 10L 8R 2 50 18 3 B 46 17.8 2L 2R 2 50 14 4 B 74 12.7	2L 2R 0 45 30 2 B 0 41.0 35.0 2L 2R 0 45 26 3 B 0 35.0 26.0 12L 10R 1 45 22 3 B 19 26.0 22.9 11L 9R 2 45 18 3 B 42 22.9 17.8 10L 8R 2 50 18 3 B 46 17.8 12.7 2L 2R 2 50 14 4 B 74 12.7 8.8	2L 2R 0 45 30 2 B 0 41.0 35.0 -6.0 2L 2R 0 45 26 3 B 0 35.0 26.0 -9.0 12L 10R 1 45 22 3 B 19 26.0 22.9 -3.1 11L 9R 2 45 18 3 B 42 22.9 17.8 -5.1 10L 8R 2 50 18 3 B 46 17.8 12.7 -5.1 2L 2R 2 50 14 4 B 74 12.7 8.8 -3.9

Cleaner Ratio Main Mix NA
Cleaner Ratio Back End Mix NA
Cleaner Ratio Back End Distance NA
Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50

CLEANER: Defense - C

Forward Reverse Combined



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R	
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track	
Track Zone Ratio	2.38	1.24	1	1	1.1	2.38	
1						1	

